

OPAL

PERFORMANCE ROOFLIGHT

CONTEMPORARY FIXED
ROOF-LIGHT SYSTEM
PROVIDING **MAXIMUM** DAYLIGHT
WITH **MINIMAL** FRAMEWORK.



Stock sizes (m) - 1 x 1, 1 x 1.5, 1 x 2


AESTHETICALLY PLEASING.

- Ultra modern, slimline design
- More visible glass than a traditional pitched roof-light
- Low profile design makes for easy maintenance and unobstructed views
- No exterior trims, flashings or fixings
- Modular and bespoke sizes available
- Available in any RAL colour (RAL 7016, 30% gloss as standard)
- 28mm toughened glass unit, ceramic border as standard
- Triple glazed unit available
- Maximum glazed area 3m²



TECHNICALLY ADVANCED.

- Pre-assembled and glazed with 28mm toughened glass as standard
- Thermally broken aluminium frame
- Suits kerb width of 48mm - 75mm (5° pitch required to shed water)
- 150mm minimum kerb height required at the lowest point (as per LABC guidelines)
- Noise reducing glass - available with triple glazing
- No external fixings - fixed internally for safer installation & ultimate security
- Mechanically cleated corners with secure hidden fixtures
- Manufactured to suit new & existing openings
- Centre pane U Values ranging from 0.6 to 1.2 W/m²K
- True one-piece fixing method making it one of the fastest & most secure roof-lights to install




PROVIDING A **CLEAR VIEW**
OF THE OUTSIDE WORLD.





Fixed internally for ultimate security



Thermally broken. 0.6 -1.2 U-value




Fast installation - one piece fixing method



RAL 7016 (std) or in any RAL





PREFIX (UK) Ltd

Systems House | Cunliffe Road | Blackburn
Lancashire | BB1 5UA
T: 01254 871800

PREFIX (SOUTH) Ltd

Unit 16 Barn Way | Lodge Farm Ind. Estate
East Dunston | Northampton | NN5 7UW
T: 01604 750212

PREFIX (SOUTH WEST) Ltd

Unit 7 Ystrad Trade Park | Ystrad Road
Fforestfach | Swansea | SA5 4JB
T: 01792 588254

PAVILION SYSTEMS Ltd

Unit B2 Ford Airfield Ind. Estate
Ford | Arundel | West Sussex | BN18 OHY
T: 01903 739440

WWW.PREFIXSYSTEMS.CO.UK